

FLEMING 58

PRICE: £2,500,000

Tax Status: Paid

Boat Ref: 8492792

Model Year: 2016

Location: Southampton, GB

FLEMING 58

DIMENSIONS

Length: 20.04m

Beam: 17.5 m / 57 ft 5 in

HULL

Solid laminate, commensurate for hull size, made in female mold.
Vinylester resin used for outer laminations
Full-length stringers and athwartships frames laminated over foam
Simulated planking grooves
Gel coated finish above waterline
Five coats of epoxy barrier coat below waterline
Two coats of Black Petit 1088 GA antifouling paint
Integrally molded guard with stainless steel rub strip
Keel extends below running gear
Keel space filled and sealed across top
FRP rudders with Aqualloy 22 Hi-strength stocks
CE-approved stainless steel portlights
Stainless steel keel shoe – 8 ft long (2.4m)
ZF-Faster Shaft “A” Struts

DECK AND SUPERSTRUCTURE

All parts made from molds.
Corecell Cored construction with Cook gel coat
Stainless steel trim around roofs, on forward teak cap rail, and guard
Italian made exterior locks
Hella LED navigation and anchor lights

AFT DECK AREA

Cockpit with teak decking.
Flush lazarette hatch with hinge, gaskets, locks & gutters with drains
FRP Swim step, Stainless steel rub rail
Stainless steel telescopic swim ladder under swimstep. Can be deployed by swimmer
FRP skirt inboard of teak cap.
Engine-room air intakes behind skirt and inside bulwarks
Stainless steel ladder to flybridge with teak treads
Sliding doors to salon. FRP with glass windows & weather strips
Seadog style latches for doors
Hot & cold shower fittings recessed on inboard face of port cockpit seat box, with quick release shower head and flexi hose

FLEMING 58

Salt water 316 Stainless steel faucet
Fresh Water 316 Stainless steel faucet
Shorepower inlets for 230v, 50 Hz, 32A
Overhead LED lights on dimmer (3)
LED rope lighting under coaming skirt.
Two Stainless steel heavy duty cleats secured to plates inside bulwarks
Deck scuppers piped out through transom at boot stripe
Hatch with stainless steel safety rail and steps down into lazarette for access to engine room
316 grade stainless steel handrail across transom

2 x winches port and Stbd for mooring

Hydraulic Stainless steel passerelle

SIDE DECKS

Teak decking
316 grade stainless steel handrails along house-side
Teak rail cap on bulwarks
Bulwark doors opening inboard with and barrel bolts
Non-skid on top side of guard at boarding gates
Stainless steel overhead LED lights. Two per side.
Courtesy LED "F" logo lights at steps up to Portuguese deck
Stainless steel handrails at side deck steps.
Steps to Portuguese Bridge deck with teak treads
House side fixed windows with tinted, tempered glass and FRP frames
Galley & Pantry windows sliding with tinted, tempered glass and FRP frames
Three Hereschoff style stainless steel cleats/chocks per side recessed into bulwarks
Fuel fill fittings for both fuel tanks in recessed boxes on Port & Stbd house side

PILOT-HOUSE DECK LEVEL

Portuguese Bridge
Locker doors in aft face of Portuguese bridge
316 grade stainless steel handrail around forward side of pilothouse
316 grade stainless steel handrails at side of pilothouse Port & Stbd
Sliding aluminum pilothouse doors port & stbd with weather seals in stainless steel channels
Teak decking
Hinged doors through Portuguese bridge to foredeck – port & stbd
Individual Screen wash and heavy duty self-parking wipers on windshield
Clear, tempered 8mm glass, in forward facing windshields Pilothouse windows are fixed and have FRP frames
Inward opening doors on Portuguese Bridge side decks Port & Starboard New style Fleming "F" logo's on forward roof supports Port & Starboard

FOREPEAK

FLEMING 58

Chain locker

Separate stowage for chain and rope combination port side

Watertight collision bulkhead

Forepeak drains directly overboard.

Bitter end fittings

Hatch scuppers

High gloss poly paint finish

Overhead LED light

FWD DECK

Teak deck

Cabin trunk with drained and vented storage lockers. Hatch lids to have gaskets

CE approved stainless steel hatch

Stainless steel stanchions to support stainless steel handrail

Stainless steel oval hand rail

Deep deck lockers forward either side of anchor platform.

FRP anchor platform with integrally molded non-skid and two sets of rollers

2 x Maxwell hydraulic windlasses VWC 3500

300ft 7/16" ACCO Hi-Test galvanized chain

77Lbs (35kg) Ultra Anchor with Ultra swivel, and Ultra Bridle with rubbers

Four stainless steel Hereschoff cleats

Two stainless steel cleats per side

316 grade stainless steel pulpit tube. Welds ground and polished.

Foredeck LED "F" Logo courtesy lights at deck level

Hatch to forepeak

Shorepower inlets 230v, 50 Hz, 32A

Plug in for windlass control

Salt water 316 stainless steel faucet inside foredeck lockers

Fresh water 316 stainless steel faucet inside foredeck lockers

Deck drains plumbed to boot-stripe to prevent black streaks

FRP forepeak vent

FLYBRIDGE

Lexan venturi with stainless steel rail

Steering console with engine controls

Stidd double helmseat with footrests, adjustable fore/aft position and height

Electronics console

Engine instrumentation on 15" Boining touchscreen

Ritchie Compass with light & dimmer

Hypro Electro/Hydraulic steering with destroyer-type stainless steel steering wheel

Rudder angle indicator with light and dimmer

Fire system repeater alarm

FLEMING 58

Flybridge cushions on settees and helmseat using EZ-dri foam with Sunbrella upholstery and mesh backs for drainage

Perfix snaps for attaching cushions

L-Settee – with high seat backs

Table stbd side

Straight settee port side with high seat backs

Hella LED navigation lights in accordance with appropriate Collision regulations

Kahlenburg air horn with twin trumpets

Two Mastervolt 24v to 12v DC-DC converters with 12v battery back-up system.

FRP Radar arch with LED overhead lights

Stainless steel signal mast with steaming, stern, and anchor lights, and aft facing Hella LED floodlight

Stainless steel railings with mid safety rail

Stainless Steel Bimini frame with canvas Bimini

BOAT DECK

Integrally molded beige non-skid on deck

316 grade stainless steel handrails.

1,000 lb capacity Steelhead ES 1000 davit with powered telescopic boom, luffing, hoisting and rotation

Hinged CE approved ManShip hatch to cockpit ladder

GFCI 230v AC, outlet RCD protected

Fresh Water faucet (316 Stainless steel)

Stainless steel saddles for tender cradle (supplied loose)

Aluminum plate inside deck for tender tie down at bow

Pre-wiring for aft facing 24v DC LED flood lights at aft end of boat deck Port & Stbd

ZODIAC 340 Yacht Tender with 30hp 4stroke Yamaha outboard and tender cover

2 x Six man Liferafts with cradles and hydrostatic releases

LAZERETTE

Hypro Electro/Hydraulic power pack for steering

Steering gear.

Deck and hatch scuppers

Hull finished with gloss white polyurethane paint

Overhead LED lights

320 gal (1211 liters) Fresh Water tanks. 2 pcs polyethylene tanks

Air-conditioning compressors

Aft shorepower inlet circuit breaker

Battery master switch panel

Aft & main DC electrical panels

Charles AC Master controller

Starboard platforms and sole boards with stainless steel lifters

Groco raw water strainers for aircon

FLEMING 58

ENGINE ROOM

2 x MAN R6 800 engines - Port hrs & Stbd hrs as at 20-07-26

Onan eQD 230v, 13.5Kw, 50 Hz Genset with sound shield and combined muffler/water separator for exhaust - hrs as at 20-07-26

Fresh water pump & inlet filter 24v DC Gianneschi pump

Sea torque BOSS (Bolt on shaft system)

Fire retardant FRP fuel tanks (2). With sight gages

Equipment platforms

Anti-vibration soft mounts for double mounted genset

Grocco raw water strainers for engines gensets aircon and all seawater intakes

Main engine exhaust system with water-lock muffler and exhaust chambers in aft corner of hull

Engine room heat extraction blowers (2)

Heavy duty sound insulation covered with perforated aluminum

Engine access hatches locked down on gaskets

Emergency release latch on engine room forward hatch

Fire suppression system with auto engines/genset/blowers shutdown

Heat detectors (3)

Bilges painted with glossy white poly paint

Sole board covered with Lonseal vinyl.

Sole lifters stainless steel

Fresh water coiled hose

Submersible bilge pump

Hi-bilge alarm

Start/stop buttons for both engines

Lube oil pumps (2) for engines, transmissions and generator

AC Lighting - Hera Slim lights

DC LED lighting

GFCI electrical outlets 230v AC, outlet RCD protected

Kahlenburg Horn Compressor

Charles International Isolation transformers (2) (32 Amp 50 Hz)

600 A/H house battery bank - 8 pcs Lifeline GPL- 6CT AGM (6 volt) batteries

255 A/H port engine/genset starting battery bank - 2 pcs Lifeline GBL-8DL

255 A/H stbd engine/genset starting battery bank - 2 pcs Lifeline GBL-8DL

FRP drip pans underneath main engines

Lead foam sound insulation

Starboard platforms and sole boards

Airtight FRP door with dog down latch and viewing port

INTERIOR

Hanging lockers lined with Teak

FLEMING 58

Insect screens for all opening windows, portlights and skylights
German made interior door locks
Non-slip treads on all interior stairs
Cruisair reverse cycle air-conditioning with remote compressors and Qht controls
LED mood rope lighting behind valances, stairs and settees
LED overhead lighting throughout
Teak joinery with satin varnish hand-rubbed finish throughout
Teak and holly sole throughout
Light fixtures to have shiny stainless steel (chrome) finish
Interior locker door handles to be brushed stainless steel finish
Interior bulkheads feature sandwich construction with lead foam sound insulation
Headroom 6' 6" (1.97m) minimum throughout
Ultraleather headlining
Interior bulkheads lower half teak, upper half Ultraleather
AC outlets and light switches to be Vimar brand with brushed stainless steel finish on faceplates

SALOON

Fixed windows in house sides
Sliding doors at aft end
Spring loaded barrel bolts to allow phantom screen installation
Medium grey tinted, tempered, glass.
Wood window blinds
Pre-wired for intercom/phone system
Teak valance over windows with LED rope lighting
Overhead LED light fixtures on dimmers
Access hatches to allow for engine removal.
Ultraleather headliner "Doe"
CO detector
Upholstered L-Settee
Fleming Hi-Lo oval table with teak top
FRP sandwich with Nidacore honeycomb composite sole
Air-conditioning
Aft bar cabinet with Ice maker
Imtra Sconce lights with shade – Atlas model
Entertainment center, teak cabinetry & lockers full length from galley refer to aft bulkhead

GALLEY

Granite countertops
Black composite double sink
Insinkerator waste disposal
Convection microwave oven
4 burner induction cooktop with stainless steel potholders
20.5 cu ft side by side refrigerator/freezer

FLEMING 58

Swivel faucet with removable spray head
Overhead LED lighting
Slide out trash bin
Drawers with guides and stops
Cabinets
Air-conditioning
Duplex GFCI outlets (230v AC, outlet RCD protected)
Dish locker at stbd side
Granite splash back installed behind sink and cooktop
Preparation for optional dishwasher – including AC power cables, circuit breaker, and F/W feed with valve

PILOT HOUSE

One Stidd 500XL low back Helm Seat with Chrome Package and White Ultraleather upholstery
Chart table with double-guide drawers and stops
Chart light on flexible arm
Dismountable control console with space for owner supplied electronics
Engine display screen on lower console
Horn control
Air reservoir for air horn
Rudder angle indicator with light & dimmer
Back lit engine start & stop buttons
Electronic engine controls. Glendinning EEC 3 with back up gear and throttle with synchronizer
Hypro Electro/Hydraulic steering with Destroyer type steering wheel
Ritchie Compass with light & dimmer
Overhead electronics console
Wiring routes to facilitate equipment installation
Overhead LED lighting with dimmer
LED red and white dimmable bridge lights in upper console
Stairs down to salon, up to flybridge
Back lit electrical distribution panels for AC and DC
Alarm and advisory panel
Doors on AC, DC and advisory panels
L-shaped settee on raised area
Wooden window blinds on port & stbd windows (3)
Teak table with single stainless steel leg and swivel
File drawer
Self-parking, heavy-duty wipers with multi-speed/intermittent controls & individual fresh water wash on forward-facing windows
Windshield glass, clear, tempered, 8 mm thick
Demister blower on forward facing windows
Control for bow thruster
Hinged soffit for access to underside of flybridge console
Air-conditioning
Black water tank level indication and pump control via Boning Screen

FLEMING 58

Generator digital control panel
Windlass up/down switch & control circuit breaker
Fire system and high level bilge alarms panel
Bilge pump control on advisory panel
Pre-wired for intercom/phone system
Dimmer for instrument lighting
Main engine sea water flow alarms
Imtra sconce lights with shade
In-Fill piece for P/H berth

Remote chain counter

Fleming central monitoring system with Boning 15" color display screen, displays fuel & water tank levels, navigation light monitor, hi-bilge level alarm, heat detectors, engine room door, and bilge pump running indication, engines instrumentation, black water tank level and pump control.

PASSAGE

Lower part of bulkhead finished with teak, upper part finished with Ultraleather Teak chair-rail trim at join
Access doors to staterooms (option A)
LED Rope lights at stairs to salon and forward cabin
Overhead LED lighting
Manual bilge pump under steps
Bosch washer and vented drier in cabinet behind sliding door

FORWARD CABIN

V- Berth Arrangement with storage below bunks
CE approved stainless steel hatch with sliding insect and black-out screens
Foam mattresses
Teak lockers
Hanging lockers.
TV space on bulkhead
Door stops and holders.
Doors teak frame with flat teak panels.
Bulkheads with teak to waist height with Ultraleather above
LED overhead lighting
Berth LED reading lights – Imtra Cabin LED
CO detector
Drapes
Emergency Escape hatch ladder
Air-conditioning – Cruisair with Qht control panel

STARBOARD HEADS

FLEMING 58

CE-approved Portlight with removable insect screen
FRP shower stall with granite sole, auto sump pump, & seat and lockers
Glass custom shower doors
Shower mixer, pressure and temperature compensated
Stainless steel toiletries rack inside shower locker
Marble or granite counter top with porcelain basin
Hans-Grohe Faucets
Beveled-edge mirrors
LED overhead lighting
GFCI outlet (230v AC, outlet RCD protected)
Planus toilets. White color.
Ventilator fan – Manrose with light
Stainless steel towel rails
Drapes
Air-Conditioning inlet from cabin

PORT CABIN

Stainless steel CE-approved portlights with removable insect screens
Lower single berth with slide out bunk above
Beveled-edge mirror
Hanging locker with auto light and louvered door
Valance over portlights
Foam mattresses
AC outlets (230v AC)
LED overhead lighting
CO detector
Drapes
Berth reading lights
LED Rope lighting and drape tracks at portlight openings.
Air-conditioning – Cruisair with Qht control panel

MASTER CABIN

Double berth Midships
Lift up base to berth for storage
Sofa to port with storage under
Vanity / desk to starboard with draws and pull out round stool
Book shelves aft each side of berth with stainless steel fiddles
Cupboard to outer corners aft both to port and starboard
Walk-in style wardrobe with hanging rail and shelving

FLEMING 58

MASTER CABIN EN-SUITE

CE-approved Portlight with removable insect screen
FRP-lined shower stall with granite sole
Glass custom shower doors
Lockers
Shower mixer pressure and temperature compensated
Marble or granite counter top with porcelain undermount basin
Hans-Grohe Faucets
Beveled-edge mirrors
LED overhead lighting
GFCI outlet (230v AC, outlet RCD protected)
Stainless steel towel rails.
Planus toilet. White color.
Ventilator fan
Drapes
Air-Con inlet from cabin

STEERING

Hypro ECS electro/hydraulic steering
FRP rudders with Aqualloy 22 stocks
Destroyer wheel at flybridge and in pilothouse
Back lit rudder angle indicators at pilothouse and flybridge stations

ENGINE CONTROLS

Glendinning EEC 3 electronic engine controls at pilothouse and flybridge, with full back up system and synchronizer.

MACHINERY

Coolant recovery tanks on main engines
ZF-Faster 4-blade Nickel Aluminum bronze propellers
Shaft struts – recessed A-Brackets
Seatorque BOSS (Bolt on Shaft System)
Water-lock muffler with transom exhaust mixing chamber
Fleming central monitoring system with Boning 15" color touch-screens in P/H and F/B

FUEL SYSTEM

Fuel filters. Racor 75/1000MAX Duplex with vacuum gauges, and water-in-fuel sensors for main engines.
Racor 500MA fuel filter for generator

FLEMING 58

Two FRP fuel tanks made of vinylester and fire retardant resins with fire proof exterior coating
Total fuel capacity 1,450 USG (5,488 Liters)
Sight glasses on both fuel tanks with self-closing safety valves
Fuel tank sumps and drains with shut-off valves on all tanks
Fuel management panel for engine/genset supply return selection
Remote emergency fuel shut-off device for both tanks
Pressure type fuel level sensors connected to central monitoring system

PLUMBING

Planus toilets, white color.
Toilets flush to FRP holding tank with level indicator or directly overboard
Toilet flushing for both Seawater and Freshwater.
Anti-odor filters on holding tank vents Port & Starboard
625 Liters Black water tank
24v DC Sealand macerator pump
Plastic lined pressure accumulator tank
Black water tank suction deck fittings port and stbd side
Black water tank seawater flushing system, with self closing safety valve

FRESH WATER SYSTEM

320 USG (1211 Liters) total in two polyethylene tanks, with drain and isolation valves.
Sight glasses on water tanks
Gianneschi 24v DC Headhunter Fresh water pump
Pre-plumbed & wired, back-up Gianneschi 24v DC Headhunter Fresh water pump
20 USG (75 Liters) Torrid water heater with 220v AC heating element and heat exchanger coil, drain & pressure release valves.
Heat exchanger system and circulation pump for heating domestic water from port main engine
Fresh Water 316 stainless steel faucet on foredeck
Fresh Water 316 stainless steel faucet on flybridge
Fresh Water 316 stainless steel faucet in cockpit
Han-Grohe interior faucets
Whale brand plumbing
Whale gulper shower sump pumps
Fresh water coil hose in engine room
Pressure type level sensor connected to Boning monitoring system

SALT WATER SYSTEM

Gianneschi 24v DC Headhunter seawater pump and strainer
Salt water 316 stainless steel faucet on foredeck
Salt water 316 stainless steel faucet in cockpit
Sea water flush line connected to black water tank, with self closing safety valve
Whale brand plumbing

FLEMING 58

Groco intake strainers for main engines, generator and sea water system

BILGE SYSTEM

3 pcs 3,700 GPH Rule electric bilge pumps with auto/man control

Manual bilge pump for engine room bilge compartment

Hi-level bilge alarm switches in lazarette, engine room, and forward bilge using USS type bilge pump/high level alarm switches (3)

ELECTRICAL AC

Onan eQD generator, single phase, in sound shield mounted on anti-vibration soft mounts 230v, 13.5Kw, 50Hz

Load distribution panel. Split panel system. Sub panels as required in each cabin

Digital meters (volts, amps, watts and frequency) and circuit breakers as required

Two 230v, 50Hz, 32A shore inlets fore and aft connected so as both can be used simultaneously

AC outlets throughout boat. GFCI type in heads, galley, engine room and exterior

Vimar light switches and dimmers.

Outback inverter (Euro model 3000 watt, 230v 50 Hz)

Inverter bypass system

Inverter remote control panel in pilothouse.

Charles Isolation transformers (220v) (2)

Tinned copper wire used throughout

ELECTRICAL DC

Main ships system 24v DC.

Three isolated battery banks

12v DC via two 24v-12v DC-DC converters & back-up battery system located on flybridge

Battery disconnect and selector switches accessible from outside engine room

Mastervolt 30 Amp Chargemaster battery charger for engine/genset & house battery banks. (24v)

DC load distribution center with breakers, inc sub panels in cabins

Flexnet battery monitor – info displayed on Outback Mate remote panel in P/H

110 amp 24v Leece-Neville alternators on each engine with Balmar multi-stage external regulator

600 A/H house battery bank - 8 pcs Lifeline GPL-6CT AGM (6 volt) batteries

Tinned copper wire used throughout

Aft DC electrical panel in Lazarette

LED overhead lighting throughout

ELECTRICAL BONDING

Copper strap or cable connecting all thru-hulls, underwater fittings, pulpit and flybridge rails – (equipotential bonding system)

Zincs on transom (2)

Copper strapping system in engine room, flybridge and pilothouse for SSB radio counterpoise

FLEMING 58

MISC OUTFIT

Cruisair reverse cycle air-conditioning throughout using REU model quiet blowers and Qht controls

Ball-type seacocks on all through hulls at or below waterline

Sika-Flex deck Caulking

5/8" thick teak deck

Pre wiring with coax, CAT 5 and speaker cables throughout – two of each cable run from every cabin to TV cabinet and from P/H to TV Cabinet, and from F/B to TV cabinet (4 coax)

SHIPYARD OPTIONAL EXTRAS

Upgrade to MAN R6-800hp

CE Approval Category A

Air Con gas R410A

Full hydraulic system, Stabilizers, STAR, Dual windlass and thrusters

House battery bank size 900A/H

5 Function Wireless Yacht controller for engines, thrusters and windlass

Prep for diesel heating system

50ft Shore power cable

Ultrasonic Antifoul system with 4 transducers

CCTV system 4 cameras, Engine room, Cockpit, Flybridge

Docking Cameras (fwd/aft) port and stbd

Twin Disc express joystick positioning system

Teak on swim step

Supply Teak flagpole

FRP 'Burrwood' capping rails in lieu of teak

Teak on anchor platform

300' Stainless Steel chain in lieu of galvanized

Cockpit console with engine start stop controls

Portside cockpit cabinet with wet locker and moulded stairs to flybridge

Cable master installed starboard side

FLEMING 58

Warping winches installed both sides

Two Stainless Steel removable rails on swim step

Fold up cleats on the swim step x2

Reinforce transom for passerelle

Section of flybridge rail removable at life raft location

Hinged radar arch

Teak on flybridge

Low level LED courtesy lighting under seating around flybridge

Aft Boat Deck control station with engines and thruster control

Removable teak top for flybridge table in High Gloss

Kenyon Electric BBQ Grill aft of flybridge seating port side

Accom layout B Full Beam master cabin and day head in pilothouse

Teak dining chairs x 4

Teak handrail in passageway

Ultrasuede Headliner

High Gloss varnish on lee rails

Do not drill holes for intercom but indicate location

Marble floor in all heads with electric underfloor heating

Double Glazing salon, Galley and Pilothouse windows

Forward cabin with V-Berth layout TV space forward wardrobes aft

Teak panelling on hull sides in fwd and port cabin

Run wires for TV in master cabin fwd of bed

High Gloss finish on pilothouse table

Install drawer under pilothouse table

Oceanair blinds on fwd pilothouse screens cream colour

S/S finish microwave

UK install Miele oven

FLEMING 58

UK install Miele 45cm dishwasher with Teak panel

Teak overhead handrail in salon

Bennett TV lift starboard aft salon

Install Owner supplied fabric for salon and pilothouse seating

Folding salon table with electric lift

High Gloss finish on salon table

Galley countertop in Black Galaxy granite

Eberspacher Diesel heating system - retro fitted

NAVIONICS & COMMS

2 x 19" Raymarine Glass bridge GS195 multifunction displays in wheelhouse

2 x 16" Raymarine Glass bridge GS165 multi displays on flybridge

Raymarine remote fitted to arm of helm seat

Navionics Nav Chart Platinum Plus

4 x Raymarine multi displays

Raymarine AIS transponder

Raymarine RAY260 EU DSC / ATIS VHF

Raymarine P70R auto pilot with wireless remote

Remote controlled search light with joystick control

Raymarine Open scanner 4kw radar

Raymarine downvision Fishfinder module

Furuno Navtex NX300 with antenna

Raymarine Sat antenna in dome

FUSHION sound system marine radio DVD with various speakers

Yacht router 4G micro booster WIFI

Pepwave

Magnetic compass x 2

FLEMING 58

FYE DISCLAIMER

Fleming Yachts Europe Ltd normally only acts as a broker for the Vendor who, unless otherwise stated, is not selling in the course of a business. Whilst every care has been taken in the preparation of these particulars the correctness is in no way guaranteed and they are intended as a guide only and do not constitute a part of any contract. A prospective buyer is strongly advised to check these particulars and where appropriate, and at his own expense, to employ a qualified marine surveyor to carry out a survey and/or to have an engine trial conducted which if conducted by us shall not imply any liability for such engine on our part.

DISCLAIMER

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.



FLEMING 58
